



South Carolina Department of Health and Human Services Preferred Drug List (PDL)
Products within PDL Therapeutic Classes are available without Prior Authorization (PA)
Those Therapeutic Classes which have a PA requirement are noted with the posting
 Non-listed products belonging to therapeutic classes that comprise the PDL require PA
 NOTE: ALL Therapeutic Classes are not included on the PDL

January 2, 2020

ANALGESIC					
NSAIDs*		OPIOIDS, EXTENDED RELEASE		SHORT ACTING NARCOTIC ANALGESICS	
Diclofenac Sodium	Nabumetone	Embeda®	Morphine Sulfate ER*	Codeine	Meperidine
Ibuprofen	Naproxen Tab/Susp	Fentanyl Patch	Morphine Sulfate SA	Codeine/APAP	Morphine IR
Indomethacin	Piroxicam			Codeine/APAP/caff/butal	Nalbuphine
Ketoralac	Sulindac			Codeine/ASA	Oxycodone
Meloxicam				Codeine/ASA/caff/butal	Oxycodone/APAP
				Hydrocodone/APAP	Oxycodone/ASA
				Hydrocodone/Ibuprofen	Tramadol
				Hydromorphone	Tramadol/APAP
*COX-2 specific NSAIDs require PA		*Generic for MS Contin and Kadian®			
TOPICAL NSAIDs AND ANESTHETICS			NEUROPATHIC PAIN		
* All agents in this class require Prior Authorization			Duloxetine	Lyrica®	
Gabapentin					
ANTI-INFECTIVE					
MACROLIDES/KETOLIDES		TETRACYCLINES		ONYCHOMYCOSIS AGENTS	
Azithromycin	Erythromycin Base	Doxycycline Hyclate IR		Griseofulvin Suspension	
Clarithromycin	Erythromycin Ethylsuc	Doxycycline Monohydrate (50MG, 100MG) capsules		Griseofulvin Ultramicronized Tablet	
Clarithromycin XL	Erythrocin Stearate	Minocycline IR		Terbinafine	
EryPed®		Tetracycline			
Ery-Tab®					
CEPHALOSPORINS, 2ND GENERATION		CEPHALOSPORINS, 3RD GENERATION		HERPES ANTIVIRALS	
Cefprozil		Cefdinir (all dosage forms)		Acyclovir	
Cefuroxime				Valacyclovir	
NITROIMIDAZOLES		FLUOROQUINOLONES			
Metronidazole IR	Vancomycin Caps				
Firvanq®		Ciprofloxacin IR tablets Levofloxacin			
CARDIOVASCULAR					
ACE INHIBITORS & CCB COMBINATIONS		ANTIHYPERTENSIVES, SYMPATHOLYTICS		ANGIOTENSIN RECEPTOR BLOCKERS (ARB)	
Benazepril	Lisinopril/HCTZ	Catapres-TTS®		Benicar®	Losartan/HCTZ
Benazepril/HCTZ		Clonidine (Oral)		Benicar HCT®	Telmisartan
Captopril	CCB Combinations	Guanfacine IR (Oral)		Eprosartan	Telmisartan HCT
Enalapril	Amlodipine Besylate	Methyldopa (Oral)		Irbesartan	Valsartan/HCTZ
Enalapril/HCTZ				Irbesartan/HCTZ	
Lisinopril				Losartan	
BETA BLOCKERS		CALCIUM CHANNEL BLOCKERS (CCB) DIHYDROPYRIDINES		CALCIUM CHANNEL BLOCKERS (CCB) NON-DIHYDROPYRIDINES	
Acebutolol	Metoprolol Tartrate	Amlodipine		Cartia XT®	
Atenolol	Nadolol	Felodipine		Diltiazem	
Atenolol/Chlorthalidone	Pindolol	Isradipine		Diltiazem ER and XR	
Betaxolol	Propranolol	Nicardipine		Taztia XT®	
Bisoprolol Fumarate	Propranolol ER	Nifedipine ER and SA		Verapamil	
Bisoprolol/HCTZ	Propranolol/HCTZ			Verapamil ER	
Carvedilol IR	Sotalol			Verapamil SR	
Labetalol	Timolol				
CCB/ARB COMBINATION PRODUCTS		DIRECT RENIN INHIBITORS		ENDOTHELIN RECEPTOR ANTAGONISTS	
Amlodipine/Valsartan		Tekturna**		Letairis**	
Exforge HCT®		Tekturna HCT**		Tracleer®	
		*Prior Authorization is required if an ARB has not been prescribed previously.		*Patients currently established on non-preferred therapy will be grandfathered.	

CARDIOVASCULAR (Continued)					
ARNI ARB/NEPRILYSIN COMBO		BILE ACID SEQUESTERING RESINS		FIBRIC ACID DERIVATIVES	
Entresto®		Cholestyramine Cholestyramine Light	Colestipol Tablet	Gemfibrozil Fenofibrate (gen Tricor)	
PAH-PDE5 INHIBITORS**		STATINS		CHOLESTEROL ABSORPTION INHIBITORS	
Adcirca® Sildenafil <i>** All agents in this class require verification of PAH diagnosis.</i>		Atorvastatin Fluvastatin Lovastatin	Pravastatin Rosuvastatin Simvastatin	Zetia®	
NIACIN DERIVATIVES		STATIN/CCB COMBINATION PRODUCTS		NON-NITRATE ANTIANGINALS	
Niaspan®				Ranexa®	
CENTRAL NERVOUS SYSTEM					
ALZHEIMER'S AGENTS					
CHOLINESTERASE INHIBITORS		NMDA RECEPTOR ANTAGONIST			
Donepezil (tablets) Galantamine IR		Memantine HCl IR/SOLN			
ANTI-CONVULSANTS					
CARBAMAZEPINE DERIVATIVES		FIRST GENERATION ANTICONVULSANTS		SECOND GENERATION ANTICONVULSANTS	
Carbamazepine (all dosage forms) Epitol® Oxcarbazepine		Celontin® Divalproex Sodium Ethosuximide Felbamate	Phenytoin Phenytoin Sodium ER Primidone Valproic Acid	Gabapentin Lyrica® Lamotrigine Topiramate IR Lamictal® ODT Zonisamide Levetiracetam <i>*Banzel®, Fycompa®, Gabitril®, Onfi®, Sabril®, & Vimpat® require PA, no step therapy req.</i>	
RECTAL PREPS					
Diastat					
BEHAVIORAL HEALTH					
ANTIDEPRESSANTS, OTHER*		ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS		ATYPICAL ANTIPSYCHOTICS	
Bupropion Bupropion SR Bupropion XL Mirtazapine Nefazodone <i>*Patients currently receiving a non-preferred agent will be able to continue without a PA. ** Antidepressants indicated for pain have not yet been reviewed and are available without PA.</i>		Atomoxetine Clonidine ER Dexmethylphenidate IR Dextroamphetamine Tab Dyanavel® XR Guanfacine ER ADHD mixed amphetamine salts combo IR/ER	Focalin XR Methylphenidate IR/SR Methylphenidate ER/LA Quillivant XR™ QuilliChew® Vyvanse®	Aripiprazole tabs Risperidone Clozapine Saphris® Latuda® Ziprasidone (caps) Olanzapine Tablets Quetiapine IR and ER <i>Patients currently receiving a non-preferred agent will be able to continue without a PA.</i>	
ATYPICAL ANTIPSYCHOTICS LONG ACTING INJECTABLES		SELECTIVE SEROTONIN REUPTAKE INHIBITORS			
Abilify Maintena® Aristada® Aristada Initio® Invega® Sustenna®		Invega Trinza™ Perseris™ Risperdal® Consta®	Citalopram (tabs/soln) Escitalopram Fluvoxamine <i>Patients currently receiving a non-preferred agent will be able to continue without a PA. *Not 60mg tab or 90mg DR capsule</i>	Fluoxetine* (gen Prozac) Paroxetine IR Sertraline (tabs)	
OTHER CNS AGENTS					
ANTI-MIGRAINE SEROTONIN AGONISTS		MULTIPLE SCLEROSIS AGENTS		SKELETAL MUSCLE RELAXANTS	
Sumatriptan Tablets Sumatriptan Injection Sumatriptan Nasal Spray		Relpax® Rizatriptan tab/odt	Avonex® Avonex Admin Pack * Betaseron®	Copaxone® 20mg/ml only Rebif®	Baclofen Methocarbamol Chlorzoxazone Orphenadrine ER Cyclobenzaprine IR Tizanidine HCl tablets Dantrolene Sodium
ANTI-CGRP MIGRAINE TREATMENT		NON-ERGOT DOPAMINE RECEPTOR		SEDATIVE/HYPNOTICS, NON-BARBITURATES	
Emgality® 120mg pen <i>Class Level PA in effect</i>		Pramipexole IR	Ropinirole IR	Temazepam Zolpidem IR	

ENDOCRINE AND METABOLIC					
ANTI-DIABETICS					
ALPHA-GLUCOSIDASE INHIBITORS		AMYLIN ANALOGS*		DPP-4 INHIBITORS AND COMBINATIONS*	
Acarbose Glyset*		Symlin*		Janumet*	Jentaduet*
				Januvia*	Tradjenta*
		* Prior Authorization is required if patient is not currently receiving insulin therapy.		* PA required if no claim for metformin in history.	
GLP1 INHIBITORS		INSULINS*		MEGLITINIDES	
Bydureon* Victoza*		Humalog*	Levemir*	Nateglinide	
		Humulin*	Novolog®		
		Lantus*			
*PA required if no claim for metformin in history.		*Vials/Pen Devices covered for all drugs listed above			
SULFONYLUREAS		THIAZOLIDINEDIONES (Thiazolidinediones/Sulfonylurea Combos)		SODIUM-GLUCOSE TRANSPORTER 2 (SGLT2) INHIBITORS	
Glimepiride Glyburide/Metformin		Pioglitazone		Invokana*	Invokamet*
Glipizide				Farxiga*	Xigduo™ XR
Glyburide*		* Prior Authorization is required if a single agent thiazolidinedione has not been prescribed previously.		*PA required if no metformin in history.	
*Caution: Glyburide may result in a higher risk of severe prolonged Hypoglycemia in older adults.					
BIGUANIDES					
Metformin					
OTHER ENDOCRINE AND METABOLIC AGENTS					
ELECTROLYTE DEPLETERS		BIPHOSPHONATES-OSTEOPOROSIS		CALCITONINS	
Calcium Acetate-capsules Renagel*		Alendronate		Calcitonin Nasal Spray	
Fosrenol* Renvela*				Calcitonin Salmon	
GLUCOCORTICOIDS, ORAL		GROWTH HORMONE*		PANCREATIC ENZYMES	
Budesonide EC Methylprednisolone		Genotropin* Norditropin*		Creon Zenpep*	
Cortef Orapred					
Cortisone Prednisolone Soln		* A class level PA is in effect for this class. Once criteria are met, the agents listed on the PDL are preferred.			
Dexamethasone Prednisolone Sod Phos					
Hydrocortisone Prednisone					
GASTROINTESTINAL					
ANTIEMETIC AGENTS		HISTAMINE-2 RECEPTOR ANTAGONISTS		PROTON PUMP INHIBITORS*	
Emend* Promethazine		Famotidine tablets		Nexium® Suspension	Pantoprazole
Metoclopramide Prochlorperazine		Ranitidine		Omeprazole	
Ondansetron				*Preferred PPIs will no longer require step therapy or prior authorization.	
*See the listing at http://southcarolina.fhsc.com for quantity limits.				** Disintegrating Lansoprazole will continue to be available without PA for patients age 12 and under.	
ULCERATIVE COLITIS THERAPY		GI MOTILITY, CHRONIC		LAXATIVES & CATHARTICS	
Apriso* Mesalamine Enema		Amitiza* Movantik*		Milk of Magnesia	PEG 3350/Electrolyte
Balsalazide Disodium Pentasa*		Linzess*		Magnesium Citrate	Polyethylene Glycol 3350
Canasa® Rectal Supp. Sulfasalazine				Lactulose	
PROGESTINS FOR CACHEXIA					
Megestrol Oral Susp.					
GENITOURINARY					
ALPHA BLOCKERS FOR BPH		ANTISPASMODICS			
Alfuzosin		Oxybutynin IR		Toviaz*	
Tamsulosin		Oxytrol*		VESicare*	
GOUT					
XANTHINE OXYDASE INHIBITORS					
Allopurinol Probenecid					
Mitigare*		Probenecid/Colchicine			

HEMATOLOGICAL & ONCOLOGICAL AGENTS					
ANTICOAGULANTS (Injectable)		ANTICOAGULANTS (Oral)		HEMATOPOIETIC AGENTS	
Enoxaparin	Fragmin®	Eliquis®	Warfarin	Aranesp®	
Fondaparinux		Pradaxa®	Xarelto®	Procrit®	
PLATELET INHIBITORS		PROTEIN TYROSINE KINASE INHIBITORS			
Aggrenox®	Clopidogrel	Gleevec®			
Brilinta®					
HORMONE RELATED THERAPY					
ANDROGENIC AGENTS		ANDROGEN HORMONE INHIBITOR			
AndroGel®		Dutasteride			
		Finasteride			
IMMUNOLOGICS					
IMMUNOMODULATORS, INJECTABLE		IMMUNOMODULATORS, TOPICAL		IMMUNOSUPPRESSANTS	
Enbrel®		Aldara™		Azasan®	Mycophenolate Sodium
Humira®		Elidel® *		Azathioprine	Rapamune®
		*Prescribers: Please use this agent as advised by the respective manufacturer and reserve for only those patients who have failed traditional eczema therapy.		Cyclosporine	Sandimmune®
				Imuran®	Tacrolimus
				Mycophenolate Mofetil	
HEPATITIS B THERAPY*		HEPATITIS C THERAPY		RSV ANTIBODY	
Baraclude® Soln	Entecavir Tab	Epclusa®		Synagis®	
Epivir HBV® Soln	Lamivudine HBV	Mavyret™			
		Vosevi®			
*Viread® is unaffected by the PDL and is available without Prior Authorization.		Class level PA is in effect for this class. Once criteria are met, the agents listed on the PDL are preferred. Effective Jan 1, 2017, SC coverage includes Metavir F0-F4.			
OPHTHALMICS					
ANTI-HISTAMINES, OPHTHALMIC		ANTI-INFLAMMATORY, IMMUNOMODULATORS		MAST CELL STABILIZERS, OPHTHALMIC	
Ketotifen	Pazeo®	Restasis®	Xiidra	Alocril	Cromolyn Sodium
Lastacaft®	Zaditor® OTC			Alomide®	
Pataday®					
NSAIDs, OPHTHALMIC		QUINOLONES & MACROLIDS, OPHTHALMIC			
Diclofenac Sodium	Ketorolac Tromethamine	Ciprofloxacin HCl	Vigamox®		
Flurbiprofen Sodium	Nevanac®				
GLAUCOMA THERAPY					
ALPHA-2 ADRENERGICS		BETA BLOCKERS		CARBONIC ANHYDRASE INHIBITORS	
Brimonidine Tartrate		Betaxolol HCl	Levobunolol HCl	Azopt®	
Alphagan P®		Carteolol HCl	Metipranolol	Dorzolamide	
		Combigan®	Timolol Maleate	Dorzolamide - Timolol	
PROSTAGLANDIN AGONISTS					
Latanoprost	Travatan Z®				
Lumigan®					
OTICS					
QUINOLONES, OTIC					
Ciprodex®	Ciprofloxacin				
RESPIRATORY					
ANTI-CHOLINERGICS		NASAL ANTIHISTAMINES		BETA ADRENERGIC DEVICES SHORT-ACTING INHALERS	
Atrovent® HFA	Spiriva® Handihaler®	Azelastine	Ipratropium	ProAir® HFA	Proventil® HFA
Bevespi Aerosphere®	Stiolto® RespiMat®				
Combivent®/RespiMat®					

RESPIRATORY (continued)			
ANTIHISTAMINES, MINIMALLY SEDATING*	BETA ADRENERGIC DEVICES, LONG ACTING METERED DOSE INHALERS		BETA AGONIST AGENTS, SHORT ACTING ORAL AGENTS
Cetirizine Loratadine Fexofenadine**/Allegra ODT <i>*Combination products containing pseudoephedrine have been removed from this class & will be excluded consistent with cough/cold products.</i> <i>**Liquids & orally disintegrating formulations limited to patients age 12 and under.</i>	Serevent™ Diskus™ <i>*Prescribers are reminded of the warnings associated with use of long acting beta agonists.</i>		Albuterol Syrup Albuterol IR Tablet
BETA ADRENERGIC AGENTS, SHORT ACTING NEBULIZERS	GLUCOCORTICOIDS AND LONG-ACTING BETA-2 ADRENERGICS		INHALED ANTIBIOTICS
Albuterol Neb Inhalation	Advair® Diskus Advair® HFA	Dulera® Symbicort®	Bethkis® Kitabis™ *TOBI® Podhaler® <i>*Step edit requiring trial of nebulized tobramycin Class Level PA in effect</i>
INHALED CORTICOSTEROIDS	INTRANASAL STEROIDS		LEUKOTRIENE RECEPTOR ANTAGONISTS
Asmanex® TwistHaler® Flovent HFA® Flovent Diskus®	Fluticasone propionate Mometasone		Montelukast Zafirlukast
	<i>*Step-therapy required for beneficiaries over age 12. Must have failed fluticasone within the previous 6 months. Nasonex® is available for beneficiaries age 12 and under without step-therapy.</i>		
ANTI-ALLERGENS (ORAL)	GLUCOCORTICOIDS INHALED (NEB)		
Grastek® Oralair®	Ragwitek®	Pulmicort Respules®	
TOPICAL AGENTS FOR ACNE			
Azelex® Clindagel®	Clindamycin Phosphate Retin-A® gel/cream	Generic Benzoyl Peroxide Preparations Generic Erythromycin Preparations Sulfacetamide-Sodium 10% cleanser	
TOPICAL ANTIFUNGALS			
Ciclopirox (cream/solution/suspension) Clotrimazole (cream/solution) Clotrimazole/Betamethasone (cream/lotion)	Econazole Ketoconazole (cream/shampoo) Nystatin (cream/ointment/powder)		Nystatin/Triamcinolone (cream/ointment)
TOPICAL AGENTS FOR PSORIASIS			
Calcipotriene			
TOPICAL AGENTS FOR ROSACEA			
Finacea® (gel/foam) MetroGel®	MetroLotion® MetroCream®		
TOPICAL ANTIINFECTIVES			
TOPICAL ANTIBIOTICS	TOPICAL ANTIVIRALS		
Mupirocin (ointment)	Abreva® Zovirax® Cream		
TOPICAL ANTIPARASITICS			
Natroba	Permethrin 1% OTC	Permethrin 5% Cream	
TOPICAL STEROIDS			
Alclometasone Dipropionate Betameth Diprop (cream/lotion) Betameth Valerate (cream/lotion) Betameth/Dipro/Propyl Glycol (cream) Capex® Shampoo	Clobetasol Emollient Clobetasol Prop (cream/gel/oint/soln) Desonide Fluocinonide Emollient Fluocinonide-E	Fluocinonide Oil Halobetasol Propionate Hydrocortisone Hydrocortisone Butyrate (oint/solution) Hydrocortisone Valerate (cream/soln)	Mometasone Furoate Triamcinolone Acetonide

MISCELLANEOUS		
EPINEPHRINE (INJECTABLES)	EMERGENCY TREATMENT (OPIOID OVERDOSE)	SMOKING CESSATION
Epinephrine (AG) 0.3mg Epinephrine (AG) 0.15mg AG = Authorized Generic	Narcan® Nasal Spray Naloxone Vial/Syringe	Bupropion SR Nicotine Patch Chantix® / Dose Pack Nicotrol® NS Nicotine Gum Nicotrol® Inh/Cart Nicotine Lozenge
MAT (MEDICATION ASSISTED TREATMENT)		DME PREFERRED PRODUCTS
Buprenorphine (SL) Suboxone® Film Buprenorphine/naloxone SL tab Vivitrol® Inj Sublocade™ Inj	Additional information regarding MAT guidelines may be found at: http://southcarolina.fhsc.com/providers/documents.asp	Additional information regarding DME preferred products may be found at: http://southcarolina.fhsc.com/providers/dmedocuments.asp